

CERTIFICATE OF ANALYSIS



Customer:

D8 Valley

Batch #: D880D910D108.5THCP1.5800

Laboratory Number: ATL-8715

Report Issue Date: 09/06/2022

Order Date: 08/31/2022

Analysis Date: 09/06/2022

Sample Description:

D8 80mg + D9 10mg + D10 8mg + THCP 2.0mg

Unit Weight: 5.4461g / Gummy



Extraction Technician: LL

Analytical Chemist: LL

Hernan Prieto

Laboratory Manager

CANNABINOID PROFILE

Analyte	LOQ (mg/g)	Results mg/gummy	%	Analyte	LOQ (mg/g)	Results mg/gummy	%	Analyte	LOQ (mg/g)	Results mg/gummy	%
CBDV-A	<0.06	0	0	THCV-A	<0.06	0	0	9S-HHC	<0.01	0	0
CBDV	<0.03	0	0	CBN	<0.03	1.36	0.03	CBC	<0.06	0	0
CBD-A	<0.03	0	0	D9-THC	<0.03	9.86	0.18	CBC-A	<0.03	0	0
CBG-A	<0.03	0	0	D8-THC	<0.03	80.33	1.48	THC-A	<0.03	0	0
CBG	<0.02	0	0	9R-D10-THC	<0.02	8.44	0.16	D8-THCP	<0.01	1.98	0.02
CBD	<0.01	0	0	9S-D10-THC	<0.02	0.44	0.01	D8-THCO	<0.02	0	0
THCV	<0.01	0	0	9R-HHC	<0.01	0	0				
Max Active THC				mg/gummy	%	Total Active Cannabinoids		mg/gummy	%		
				9.86	0.18			101.30	1.86		
Max Active CBD				mg/gummy	%	Total Cannabinoids		mg/gummy	%		
				0	0			101.30	1.86		

NOTES

[Empty box for notes]

Cannabidiolic Acid (CBDVA) Cannabidiol (CBDV) Cannabidiol (CBD) Cannabigeronic Acid (CBGA) Cannabigerol (CBG) Cannabidiol (CBD) Tetrahydrocannabinol (THCV) Tetrahydrocannabinolic Acid (THCVA) Cannabinol (CBN) Delta-9-Tetrahydrocannabinol (D9-THC) Delta-8-Tetrahydrocannabinol (D8-THC) 9S-Delta-10-Tetrahydrocannabinol (9S-D10-THC) 9R-Delta-10-Tetrahydrocannabinol (9R-D10-THC) 9S-Hexahydrocannabinol (9S-HHC) 9R-Hexahydrocannabinol (9R-HHC) Cannabichromene (CBC) Cannabichromenic Acid (CBCA) Tetrahydrocannabinolic Acid (THCA) Delta-9-Tetrahydrocannabinol (D9-THC) Delta-8-Tetrahydrocannabinol (D8-THC)

Document ID: ATL-225 Revision: 02 Effective Date: 7/15/2022

Reporting limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material for calibration analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced except in full without approval of Accurate Test Lab, LLC.

ND: Not Detected LOQ: Limit of Quantification

Analyte Method: ATL-LCM-001. Accurate Test Lab estimated expanded uncertainty is 1.1% as per its VALIDATION AND VERIFICATION OF ATL-LCM-001 (ATL-3004)



Accurate Test Lab, LLC >>> 2960 SW 23rd Terrace, Suite 104, Fort Lauderdale, FL 33312, USA >>> (954) 515 - 0200

info@accuratetestlab.com